

IN THE CLAIMS:

Please add Claim 55, and amend Claims 1, 2, 15 to 25 and 38 to 44 as follows. The claims, as pending in the subject application, read as follows:

1. (Currently Amended) A method of annotating an image, said method comprising the steps of:

displaying ~~the image and~~ a plurality of predetermined icons, each icon being associated with one or more predetermined ~~items of~~ metadata labels;

displaying the image adjacent to said plurality of predetermined icons;

~~selecting~~ detecting selection of at least one of the plurality of predetermined icons; ~~depending on at least one subject rendered at~~

determining a location of a subject rendered within the image based on a selection of the subject, wherein the one or more predetermined metadata labels associated with the selected icon relate to said selected subject;

linking the one or more predetermined ~~items of~~ metadata labels associated with the selected icon with a description of the location of the selected subject within the image; and

storing the linked one or more predetermined metadata labels and the description as an annotation of the image.

2. (Currently Amended) A method according to claim 1, wherein ~~said the selection of said subject is detected by selecting step comprises the sub-steps of:~~

dragging the selected icon to the image,[[;]] and dropping the dragged icon on the subject

of the image.

3. (Previously Presented) A method according to claim 6, wherein the bounded region is formed based on an analysis of pixels of the image.

4. (Previously Presented) A method according to claim 3, wherein the analysis includes an analysis of the colour information of the pixels of the image.

5. (Previously Presented) A method according to claim 6, wherein the bounded region is of a predetermined size.

6. (Previously Presented) A method according to claim 1, further comprising the step of forming a bounded region within the image about the location at which the subject is rendered in said image, the bounded region being configured to substantially surround the subject.

7. (Cancelled)

8. (Previously Presented) A method according to claim 2, wherein a bounded region under the dragged icon is emphasized.

9. and 10. (Cancelled)

11. (Previously Presented) A method according to claim 6, further comprising the step of extracting a part of the image based on the bounded region.

12. (Previously Presented) A method according to claim 11, further comprising the step of displaying the extracted part of the image.

13. (Previously Presented) A method according to claim 6, wherein a size of the bounded region is determined automatically.

14. (Previously Presented) A method according to claim 6, wherein a size of the bounded region is changeable by a user.

15. (Currently Amended) A method according to claim 1, wherein the one or more predetermined metadata labels are stored as the annotation of the subject, and are [[is]] displayed upon selecting the subject in the image.

16. (Currently Amended) A method according to claim 1, further comprising the steps of:

providing a list of predetermined metadata labels; and

associating ~~the list~~ one or more of the predetermined metadata labels from the list of predetermined metadata labels with each of and the plurality of predetermined icons.

17. (Currently Amended) A method according to claim 16, wherein the list of predetermined metadata labels is provided from a database.

18. (Currently Amended) A method according to claim 1, wherein said storing step includes storing the one or more predetermined metadata labels as the annotation of the subject of the image by using a tag indicating an association with the image.

19. (Currently Amended) A method according to claim 18, wherein the one or more predetermined metadata labels associated with the subject of the image [[is]] are stored in an XML file.

20. (Currently Amended) A method according to claim 1, further comprising the step of e-mailing at least the image to at least one e-mail address based on the one or more predetermined metadata labels associated with the image.

21. (Currently Amended) A method according to claim 1, further comprising the step of replacing [[the]] a default icon by the selected icon ~~generated~~ based on the subject of the image.

22. (Currently Amended) A computer program for a computer, comprising software code portions for performing a method of annotating an image, said program comprising:

code for displaying ~~the image and~~ a plurality of predetermined icons, each icon being associated with one or more predetermined ~~items of~~ metadata labels;

code for displaying the image adjacent to said plurality of predetermined icons;

code for ~~selecting~~ detecting selection of at least one of the plurality of predetermined icons; ~~depending on at least one subject rendered at~~

code for determining a location of a subject rendered within the image based on a selection of the subject, wherein the one or more predetermined metadata labels associated with the selected icon relate to the selected subject;

code for linking the one or more predetermined ~~items of~~ metadata labels associated with the selected icon with a description of the location of the selected subject within the image; and

code for storing the linked one or more predetermined metadata labels and the description as an annotation of the image.

23. (Currently Amended) A computer readable medium storing a computer program, wherein said computer program comprises software code portions for performing a method of annotating an image, said program comprising:

code for displaying ~~the image and~~ a plurality of predetermined icons, each icon being associated with one or more predetermined ~~items of~~ metadata labels;

code for displaying the image adjacent to said plurality of predetermined icons;

code for detecting selection of selecting at least one of the plurality of predetermined icons; ~~depending on at least one subject rendered at~~

code for determining a location of a subject rendered within the image based on a selection of the subject, wherein the one or more predetermined metadata labels associated with the selected icon relate to said selected subject;

code for linking the one or more predetermined items of metadata labels associated with the selected icon with a description of the location of the selected subject within the image; and

code for storing the linked one or more predetermined metadata labels and the description as an annotation of the image.

24. (Currently Amended) An apparatus for annotating an image, said apparatus comprising:

display means for displaying ~~the image and~~ a plurality of predetermined icons, each icon being associated with one or more predetermined ~~items of metadata labels~~, and for displaying the image adjacent to said plurality of predetermined icons;

selection detecting means for ~~selecting~~ detecting selection of at least one of the plurality of predetermined icons; ~~depending on at least one subject rendered at~~

location determining means for determining a location of a subject rendered within the image based on a selection of the subject, wherein the one or more predetermined metadata labels associated with the selected icon relate to said selected

subject;

linking means for linking the one or more predetermined ~~items~~ of metadata labels associated with the selected icon with a description of the location of the selected subject within the image; and

storage means for storing the linked one or more predetermined metadata and the description as an annotation of the image.

25. (Currently Amended) The apparatus according to claim 24, ~~further comprising: means for~~ wherein the selection of said subject is detected by dragging the selected icon to the image, and dropping the dragged icon on the subject of the image.

26. (Previously Presented) The apparatus according to claim 29, wherein the bounded region is formed based on an analysis of pixels of the image.

27. (Previously Presented) The apparatus according to claim 26, wherein the analysis includes an analysis of the colour information of the pixels of the image.

28. (Previously Presented) The apparatus according to claim 29, wherein the bounded region is of a predetermined size.

29. (Previously Presented) The apparatus according to claim 24, further comprising means for forming a bounded region within the image about the locations at which the subject is rendered in the image, the bounded region being configured to substantially surround the subject.

30. (Cancelled)

31. (Previously Presented) The apparatus according to claim 25, wherein a bounded region under the dragged icon is emphasized.

32. and 33. (Cancelled)

34. (Previously Presented) The apparatus according to claim 29, further comprising means for extracting a part of the image based on the bounded region.

35. (Previously Presented) The apparatus according to claim 34, wherein said display means further displays the extracted part of the image.

36. (Previously Presented) The apparatus according to claim 29, wherein a size of the bounded region is determined automatically.

37. (Previously Presented) The apparatus according to claim 29, wherein a size of the bounded region is changeable by a user.



38. (Currently Amended) The apparatus according to claim 24, wherein the one or more predetermined metadata labels are stored as the annotation of the subject, and are ~~[[is]]~~ displayed upon selecting the subject in the image.

39. (Currently Amended) The apparatus according to claim 24, further comprising:

means for providing a list of predetermined metadata labels; and

association means for associating ~~the list of~~ one or more of the predetermined metadata labels from the list of predetermined metadata labels with each of ~~and~~ the plurality of predetermined icons.

40. (Currently Amended) The apparatus according to claim 39, wherein the list of predetermined metadata labels is provided from a database.

41. (Currently Amended) The apparatus according to claim 24, wherein said storage means stores the one or more predetermined metadata labels as the annotation of the subject of the image by using a tag indicating an association with the image.

42. (Currently Amended) The apparatus according to claim 41, wherein the one or more predetermined metadata labels associated with the subject of the image ~~[[is]]~~ are stored in an XML file.

43. (Currently Amended) The apparatus according to claim 24, further comprising means for e-mailing at least the image to at least one e-mail address based on the one or more predetermined metadata labels associated with the image.

44. (Currently Amended) The apparatus according to claim 24, further comprising means for replacing ~~the~~ a default icon by the selected icon ~~generated~~ based on the subject of the image.

45. (Previously Presented) A method according to claim 6, wherein the description includes a location of the bounded region within the image.

46. (Previously Presented) A method according to claim 6, wherein the description includes a size of the bounded region.

47. (Previously Presented) A method according to claim 6, wherein the bounded region is formed at a location at which the selected icon is dropped on the image.

48. (Previously Presented) A method according to claim 3, wherein a size of the bounded region is determined based on the analysis.

49. (Currently Amended) A method according to claim 1, wherein only the linked one or more predetermined metadata labels and the description are stored as an

annotation of the subject of the image.

50. (Previously Presented) The apparatus according to claim 29, wherein the description of the bounded region includes a location of the bounded region within the image.

51. (Previously Presented) The apparatus according to claim 29, wherein the description of the bounded region includes a size of the bounded region.

52. (Previously Presented) The apparatus according to claim 29, wherein the bounded region is formed at a location at which the icon is dropped on the image.

53. (Previously Presented) The apparatus according to claim 26, wherein a size of the bounded region is determined based on the analysis.

54. (Previously Presented) The apparatus according to claim 24, wherein only the linked one or more predetermined metadata labels and the description are stored as an annotation of the subject of the image.

55. (New) A method of annotating an image, said method comprising the steps of:

- displaying a plurality of predetermined icons, each icon being associated with one or more predetermined metadata labels;
- displaying the image adjacent to said plurality of predetermined icons;
- detecting selection of at least one of the plurality of predetermined icons;
- determining a location of a subject rendered within the image based on a selection of the subject, wherein the one or more predetermined metadata labels associated with the selected icon relate to said selected subject;
- forming a bounded region within the image about the location at which the subject is rendered in said image, said bounded region being configured to substantially surround the subject;
- linking the one or more predetermined metadata labels associated with the selected icon with a description of said bounded region; and
- storing the linked one or more predetermined metadata labels and the description as an annotation of the image.